Message
_____

From: Brad Gentry [bgentry@iwmconsult.com]
Sent: 11/19/2018 7:56:18 PM
To: Bury, Carolyn [bury.carolyn@epa.gov]
CC: Sundar, Bhooma [sundar.bhooma@epa.gov]; Neal, Conor [Neal.Conor@epa.gov]; Joe Bianchi (jbian@amphenol-
               aao.com) [jbian@amphenol-aao.com]; Chris Parks [cparks@iwmconsult.com]
Subject: RE: Confidential - Draft Sewer Manhole Sampling Maps

I believe we have what you need on the maps but if you need changes, please let me know as soon as possible
today. Our CAD person will be out Tuesday and Wednesday of this week.

Sincerely,

Bradley E. Gentry, LPG
Vice President/Brownfield Coordinator
IWM Consulting Group, LLC
7428 Rockville Road
Indianapolis, IN 46214
Mobile: (317) 435-8877
Office: (317) 968-9256
Fax: (317) 347-9326

From: Bury, Carolyn <bury.carolyn@epa.gov>
Sent: Monday, November 19, 2018 2:55 PM
To: Brad Gentry <bgentry@iwmconsult.com>
Cc: Sundar, Bhooma <sundar.bhooma@epa.gov>; Neal, Conor <Neal.Conor@epa.gov>; Joe Bianchi (jbian@amphenol-
aao.com) <jbian@amphenol-aao.com>; Chris Parks <cparks@iwmconsult.com>
Subject: RE: Confidential - Draft Sewer Manhole Sampling Maps

Thanks Brad.
Are you able to combine the three plumes into one that shows the area of VOCs above screening levels?

From: Brad Gentry <bgentry@iwmconsult.com>
Sent: Monday, November 19, 2018 1:30 PM
To: Bury, Carolyn <bury.carolyn@epa.gov>
Cc: Sundar, Bhooma <sundar.bhooma@epa.gov>; Neal, Conor <Neal.Conor@epa.gov>; Joe Bianchi (jbian@amphenol-
aao.com) <jbian@amphenol-aao.com>; Chris Parks <cparks@iwmconsult.com>
Subject: Confidential - Draft Sewer Manhole Sampling Maps

Carolyn

Good afternoon. Please see the updated, draft combined iso maps for the sewer manhole sampling events. Please let
us know if you have questions or need anything else.

Sincerely,

Bradley E. Gentry, LPG
Vice President/Brownfield Coordinator
IWM Consulting Group, LLC
7428 Rockville Road

Indianapolis, IN 46214
Mobile: (317) 435-8877
Office: (317) 968-9256
Fax: (317) 347-9326